ne

### **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 1 of 18 Print Date 07/19/2018

# SAFETY DATA SHEET

#### **GLITTERY GREEN HC 6874**

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	GLITTERY GREEN HC 6874 Mixture Mixture CC10286536 liquid
	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
Emergency telephone number (with hours of operation)	:	+1 216 622 0100 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2

#### **GHS label elements**

# <u>PolyOne</u>

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 2 of 18 Print Date 07/19/2018

Hazard pictograms		
Signal word	Warning	
Hazard statements	Causes skin irritation.	
Precautionary statements		
General	Not applicable.	
Prevention		hands thoroughly after handling.
Response		ty of soap and water. Take off ish it before reuse. If skin irritation
Storage	Not applicable.	
Disposal	Not applicable.	

Storage	:	Not applicable
Disposal	:	Not applicable
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Mixture

Mixture

CC10286536

Substance/mixture:Chemical name:Other means of identification:

CAS number/other identifiers

Ingredient name	%	CAS number
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	25 - 30	Not available.
Titanium dioxide	3 - 5	13463-67-7
Carbon black	1 - 3	1333-86-4
Rutile (TiO2)	1 - 3	1317-80-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Ine.

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 3 of 18 Print Date 07/19/2018

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<u>vOne</u>

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 4 of 18 Print Date 07/19/2018

Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical atte	entic	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 5 of 18 Print Date 07/19/2018

Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018

#### Page 6 of 18 Print Date 07/19/2018

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Rutile (TiO2)	None.



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018

Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Appropriate engineering controls Environmental exposure controls	<ul> <li>Good general ventilation should be sufficient to control worker exposure to airborne contaminants.</li> <li>Emissions from ventilation or work process equipment should be</li> </ul>
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	<ul> <li>Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to the standard should be used to be</li></ul>
	liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>

ne

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018		Page 8 of 18 Print Date 07/19/2018
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

Respiratory protection
Product.
Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	GREEN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

## Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018

Page 9 of 18 Print Date 07/19/2018

Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Carbon black		· •	·	·		
	LD50 Oral	Rat	15,400 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxi	city data				
Rutile (TiO2)						
Remarks - Oral:	No applicable toxi	No applicable toxicity data				
<b>Remarks - Inhalation:</b>	No applicable toxi	city data				
<b>Remarks - Dermal:</b>	No applicable toxicity data					
Titanium dioxide						
Remarks - Oral:	No applicable toxi	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Miscellaneous Compounds Di	stillates, petroleum, l	hydrotreated middle				
Remarks - Oral:	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data					
Conclusion/Summary	: Mixtu	re.Not fully tested.				

Mixture.Not fully tested. Conclusion/Summary

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

ne

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 10 of 18 Print Date 07/19/2018

<b>Conclusion/Summary</b>			
Skin	:	Mixture.Not fully	y tested.
Eyes	:	Mixture.Not fully	y tested.
Respiratory	:	Mixture.Not fully	y tested.
Sensitization			
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully Mixture.Not fully	
<b>Mutagenicity</b>			
Conclusion/Summary	:	Mixture.Not fully	y tested.
<b>Carcinogenicity</b>			
Conclusion/Summary <u>Classification</u>	:	Mixture.Not fully	y tested.
Product/ingredient	OSHA	IARC	NTP
name			
Carbon black		2B	
Rutile (TiO2)		2B2B	
Titanium dioxide		2B	

#### **Reproductive toxicity**

#### **Teratogenicity**

Conclusion/Summary : Mixtur	e.Not fully tested.
-----------------------------	---------------------

#### <u>Specific target organ toxicity (single exposure)</u> Not available.

#### Specific target organ toxicity (repeated exposure) Not available.

#### Aspiration hazard

Product/ingredient name	Result
Miscellaneous Compounds Distillates, petroleum,	ASPIRATION HAZARD - Category 1
hydrotreated middle	

Information on likely routes of

Not available.

:

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 11 of 18 Print Date 07/19/2018

#### exposure Potential acute health effects Eye contact No known significant effects or critical hazards. : Inhalation No known significant effects or critical hazards. : Skin contact Causes skin irritation. : Ingestion No known significant effects or critical hazards. : Symptoms related to the physical, chemical and toxicological characteristics Eye contact Adverse symptoms may include the following: : pain or irritation watering redness Inhalation No specific data. : Skin contact Adverse symptoms may include the following: : irritation redness Ingestion No specific data. : Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure Not available. Potential immediate effects : **Potential delayed effects** Not available. • Long term exposure **Potential immediate effects** Not available. : Not available. **Potential delayed effects** : **Potential chronic health effects**

**Conclusion/Summary** Mixture.Not fully tested. : General No known significant effects or critical hazards. : Carcinogenicity No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : Teratogenicity No known significant effects or critical hazards. : No known significant effects or critical hazards. **Developmental effects** : **Fertility effects** : No known significant effects or critical hazards.

Numerical measures of toxicity



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 12 of 18 Print Date 07/19/2018

#### Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	5.912 mg/l

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure	
Carbon black	·			
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Rutile (TiO2)				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Titanium dioxide		_		
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h	
	water			
Remarks - Acute - Fish:	Acute			
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h	
Remarks - Acute - Aquatic invertebrates.:	Acute	Crustuceurs		
mver tebrates.	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
Remarks - Acute - Aquatic	Acute	· •	•	



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 13 of 18 Print Date 07/19/2018

invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Miscellaneous Compounds Dis	stillates, petroleum, hydrotreated middle
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Conclusion/Summary	: Not available.
Persistence and degradability	-
Conclusion/Summary	: Not available.
<b>Bioaccumulative potential</b> Not available.	
<u>Mobility in soil</u>	
Soil/water partition coefficie	ent : Not available.

(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered
---

Ine

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 14 of 18 Print Date 07/19/2018

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report

PolyOne.

## **GLITTERY GREEN HC 6874**

Version Number 1.0	Page 15 of 18
Revision Date 07/11/2018	Print Date 07/19/2018

		<ul> <li>(PAIR): Not listed</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine green</li> </ul>	
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed	
Clean Air Act Section 112(b)	:	Not listed	
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed	
Substances			
Clean Air Act Section 602 Class II Substances	:	Not listed	
DEA List I Chemicals (Precursor Chemicals)	:	Not listed	
DEA List II Chemicals (Essential	:	Not listed	

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

**Chemicals**)

: Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
Carbon black	1 - 3	СН
Rutile (TiO2)	1 - 3	СН
Titanium dioxide	3 - 5	СН
Miscellaneous Compounds Distillates, petroleum,	25 - 30	АН



## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 16 of 18 Print Date 07/19/2018

hydrotreated middle		
<u>SARA 313</u> Not applicable.		
<u>State regulations</u> Massachusetts New York New Jersey	: :	None of the components are listed. None of the components are listed. The following components are listed: Phthalocyanine green Titanium dioxide Carbon black Mica
Pennsylvania	:	The following components are listed: Mica
		Carbon black Phthalocyanine green
		Titanium dioxide
		Rutile (TiO2)
<u>California Prop. 65</u> WARNING: This product contains a c	hemi	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan Turkey		All components are listed or exempted. All components are listed or exempted. Not determined. Not determined.
United States	:	All components are listed or exempted.

### **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 17 of 18 Print Date 07/19/2018

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2		
Flammability		0		
Physical hazards				

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History		
Date of printing	:	07/19/2018
Date of issue/Date of revision	:	07/11/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other

# PolyOne

## **GLITTERY GREEN HC 6874**

Version Number 1.0 Revision Date 07/11/2018 Page 18 of 18 Print Date 07/19/2018

materials or in any process, unless specified in the text.