202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 PolyOne

Page 1 of 18 Print Date 07/13/2018

SAFETY DATA SHEET

202 B-ADX 5107

Section 1. Identification		
		202 D ADV 5107
GHS product identifier	:	202 B-ADX 5107
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10286644
Product type	:	liquid
~ *		•
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		ColorMatrix Group Inc.
		680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		$000 From Rocky Rever Drive, Dereu, Onio, \pm 017, 1020, 00M$
		+1 216 622 0100
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
	•	accident).
(with hours of operation)		

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1
		Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 11.4 %

202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 PolyOne

Page 2 of 18

Print Date 07/13/2018

GHS label elements		
Hazard pictograms	:	<u>(!)</u>
Signal word Hazard statements	:	Warning Harmful if inhaled. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local,
		regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10286644

CAS number/other identifiers

Ingredient name	%	CAS number
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	25 - 50	Not available.



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 3 of 18 Print Date 07/13/2018

Carbon black	10 - 25	1333-86-4
Indanthrene	5 - 10	81-77-6
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	3 - 5	41556-26-7
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester	1 - 3	82919-37-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms,

202 B-ADX 5107



Version Number 1.0	Page 4 of 18
Revision Date 07/12/2018	Print Date 07/13/2018

Ingestion	:	avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim
		to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious,
		give small quantities of water to drink. Stop if the exposed person
		feels sick as vomiting may be dangerous. Do not induce vomiting
		unless directed to do so by medical personnel. If vomiting occurs, the
		head should be kept low so that vomit does not enter the lungs. Get
		medical attention if adverse health effects persist or are severe. Never
		give anything by mouth to an unconscious person. If unconscious,
		place in recovery position and get medical attention immediately.
		Maintain an open airway. Loosen tight clothing such as a collar, tie,
		belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. Harmful if inhaled. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the
		4/40

202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 PolyOne

Page 5 of 18 Print Date 07/13/2018

rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the

202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018

PolyOne

Page 6 of 18 Print Date 07/13/2018

product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.				
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.				
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept				
	6/18					



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 7 of 18 Print Date 07/13/2018

upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Carbon blackOSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fractionMiscellaneous Compounds Distillates, petroleum, hydrotreated middleNone.		
per oreani, nyaron euror minare		
Indanthrene None.	None.	
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl)None.sebacate		
Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester		
 Appropriate engineering controls Use only with adequate ventilation. Use process enclose exhaust ventilation or other engineering controls to kee exposure to airborne contaminants below any recommenstatutory limits. Environmental exposure controls Emissions from ventilation or work process equipment checked to ensure they comply with the requirements o environmental protection legislation. In some cases, fur filters or engineering modifications to the process equipment necessary to reduce emissions to acceptable levels. 	ep worker ended or should be of me scrubbers,	
Individual protection measures		
Hygiene measures : Wash hands, forearms and face thoroughly after handling	ng chemical	

202 B-ADX 5107



Version Number 1.0 Revision Date 07/12/2018	Page 8 of 18 Print Date 07/13/2018
Eye/face protection	 products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.

202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018

Page 9 of 18

<u>olyUne</u>.

Print Date 07/13/2018

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 10 of 18 Print Date 07/13/2018

Remarks - Oral: Remarks - Inhalation: Remarks - Dermal:	No applicat	ole toxicity data		-	·			
Remarks - Dermal:								
		ole toxicity data	No applicable toxicity data					
	No applicat	No applicable toxicity data						
Remarks - Oral:	No applicat	ole toxicity data						
Remarks - Inhalation:	No applicat	ole toxicity data						
Remarks - Dermal:	No applicat	ole toxicity data						
Indanthrene	•	-						
	LD50 Oral	Rat		2,000 mg/kg	-			
Remarks - Inhalation:	No applicat	ole toxicity data						
Remarks - Dermal:	No applicat	ole toxicity data						
Carbon black								
	LD50 Oral	Rat		15,400 mg/kg	-			
Remarks - Inhalation:	No applicat	ble toxicity data						
Remarks - Dermal:		ole toxicity data						
Miscellaneous Compounds Di	stillates, petro	tillates, petroleum, hydrotreated middle						
Remarks - Oral:	No applicat	No applicable toxicity data						
Remarks - Inhalation:	No applicat	ole toxicity data						
Remarks - Dermal:	No applicat	No applicable toxicity data						
Conclusion/Summary	:	Mixture.Not fu	lly tested.					
Irritation/Corrosion								
Conclusion/Summary								
Skin	:	Mixture.Not fu						
Eyes	:	Mixture.Not fu						
Respiratory	:	Mixture.Not fu	lly tested.					
Sensitization								
Conclusion/Summary Skin	:	Mixture.Not fu	lly tested.					
Respiratory	:	Mixture.Not fu	lly tested.					
Mutagenicity								
Conclusion/Summary	:	Mixture.Not fu	lly tested.					
Carcinogenicity								
Conclusion/Summary <u>Classification</u>	:	Mixture.Not fu	lly tested.					
Product/ingredient	OSHA	IARC	NTP					



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 11 of 18 Print Date 07/13/2018

name						
Carbon black		2B				
		20				
<u>Reproductive toxicity</u>						
Conclusion/Summary	: 1	Mixture.Not f	t fully tested.			
<u>Teratogenicity</u>						
Conclusion/Summary	Conclusion/Summary : Mixture.Not fully tested.					
Specific target organ toxicity Not available.	(single expos	<u>ure)</u>				
Specific target organ toxicity Not available.	(repeated exp	posure)				
Aspiration hazard						
Product/ingredient name			Result			
Miscellaneous Compounds Dis	tillates, petrole	eum.	ASPIRATION HAZARD - Category 1			
hydrotreated middle	, F	,				
Information on likely routes of exposure Potential acute health effects	of : 1	Not available.	le.			
Eye contact	: 1	No known sig	significant effects or critical hazards.			
Inhalation						
Skin contact		: Causes skin irritation. May cause an allergic skin reaction.				
Ingestion	No known significant effects or critical hazards.					
Symptoms related to the phys	ical, chemica	l and toxicolo	ological characteristics			
Eye contact	F	Adverse symptoms may include the following: pain or irritation watering redness				
Inhalation	: 1	No specific da	data.			
Skin contact	i	Adverse symp rritation redness	nptoms may include the following:			
Ingestion		No specific da	data.			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

202 B-ADX 5107

Short term exposure

Version Number 1.0 Revision Date 07/12/2018 <u>PolyOne</u>

Page 12 of 18 Print Date 07/13/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	20,962.6 mg/kg
Route	ATE value
Dermal	102,257.9 mg/kg
Route	ATE value
Inhalation (dusts and mists)	3.75 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 13 of 18 Print Date 07/13/2018

invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Bis (1,2,2,6,6-pentamethyl-4-p	iperidinyl) sebacate			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Indanthrene				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	NT 1' 11 / ''' 1 /			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.: Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data			
Kemarks - Acute - Fish:	No applicable toxicity data Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia	40 11	
Remarks - Acute - Aquatic	Acute	Dapinia		
invertebrates.:	Treate			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	sppreusie tomore, unu			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	11			
-	stillates, petroleum, hydrotreated mid	dle		
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018

Page 14 of 18 Print Date 07/13/2018

Aquatic invertebrates.:	
202 B-ADX 5107	
-	Dangerous for the environment: May cause long term adverse effects in the aquatic environment.
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects in the aquatic environment.
Persistence and degradability	
Conclusion/Summary	: Not available.
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects in the aquatic environment.
<u>Bioaccumulative potential</u> Not available.	
Mobility in soil	
Soil/water partition coefficien (KOC)	nt : Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed



202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018 Page 15 of 18 Print Date 07/13/2018

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant
International Water IMO/IMDG	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental

202 B-ADX 5107

<u>PolyOne</u>

Version Number 1.0 Revision Date 07/12/2018 Page 16 of 18 Print Date 07/13/2018

release prevention - Flammable substances: Not listed **United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed **United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester	1 - 3	AH
Bis (1,2,2,6,6-pentamethyl-4- piperidinyl) sebacate	3 - 5	АН
Indanthrene	5 - 10	АН
Carbon black	10 - 25	СН
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	25 - 50	АН

SARA 313

Not applicable.

State regulationsMassachusettsNew York:None of the components are listed.

16/18

202 B-ADX 5107

me

Version Number 1.0		Page 17 of 18
Revision Date 07/12/2018		Print Date 07/13/2018
New Jersey :	:	The following components are listed: Distillates, petroleum, hydrotreated heavy paraffinic Carbon black
Pennsylvania :	:	The following components are listed: Carbon black
<u>California Prop. 65</u> WARNING: This product contains a che	emic	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory :	:	All components are listed or exempted.
International regulations		
Inventory list		
	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
	:	All components are listed or exempted.
Europe inventory	:	Not determined.
F	:	Not determined.
New Zealand	÷	All components are listed or exempted. All components are listed or exempted.
	:	All components are listed or exempted.
_ :		Not determined.
T 1	-	Not determined.
	:	All components are listed or exempted.
	· ·	r · · · · · · · · · · · · · · · · · · ·

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on

202 B-ADX 5107

Version Number 1.0 Revision Date 07/12/2018



Page 18 of 18 Print Date 07/13/2018

HMIS® Personal Protective Equipm	nent ((PPE) codes, consult the HMIS® Implementation Manual.
History		
Date of printing	:	07/13/2018
Date of issue/Date of revision	:	07/12/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.