



# POLYONE CORPORATION

## MATERIAL SAFETY DATA SHEET

### **BRUSH ALLUMINUM METALLIC**

Version Number 1.0  
Revision Date 08/25/2003

Page 1 of 7  
Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**POLYONE CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE : Product Stewardship (770) 271-5902  
Emergency telephone number : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).**

Product name : BRUSH ALLUMINUM METALLIC  
Product code : CC10041182  
Chemical Name : Mixture  
CAS-No. : Mixture  
Product Use : Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components        | CAS-No.    | Weight % |
|-------------------|------------|----------|
| Aluminum          | 7429-90-5  | 1 - 5    |
| Antimony trioxide | 1309-64-4  | 1 - 5    |
| Calcium carbonate | 1317-65-3  | 1 - 5    |
| Titanium dioxide  | 13463-67-7 | 1 - 5    |

#### 3. HAZARDS IDENTIFICATION

##### EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

##### POTENTIAL HEALTH EFFECTS

**Routes of Exposure:** : Inhalation, Ingestion, Skin contact

##### Acute exposure

Inhalation : Resin particles, like other inert materials, can be mechanically irritating.  
Ingestion : May be harmful if swallowed.  
Eyes : Resin particles, like other inert materials, are mechanically irritating to eyes.  
Skin : Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION****MATERIAL SAFETY DATA SHEET****BRUSH ALLUMINUM METALLIC**Version Number 1.0  
Revision Date 08/25/2003Page 2 of 7  
Print Date 11/12/2011**Chronic exposure** : Refer to Section 11 for Toxicological Information.**Medical Conditions  
Aggravated by Exposure:** : None known.**4. FIRST AID MEASURES**

- Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
- Ingestion : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
- Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
- Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.

**5. FIRE-FIGHTING MEASURES**

- Flash point : Not applicable
- Flammable Limits  
Upper explosion limit : Not applicable  
Lower explosion limit : Not applicable
- Autoignition temperature : Not relevant
- Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foam.
- Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
- Unusual Fire/Explosion Hazards : None

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
- Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
- Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.

**7. HANDLING AND STORAGE**



# POLYONE CORPORATION

## MATERIAL SAFETY DATA SHEET

### BRUSH ALLUMINUM METALLIC

Version Number 1.0  
Revision Date 08/25/2003

Page 3 of 7  
Print Date 11/12/2011

- Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
- Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye/Face Protection : Safety glasses with side-shields.
- Hand protection : Protective gloves.
- Skin and body protection : Long sleeved clothing.
- Additional Protective Measures : Safety shoes.
- General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
- Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

#### Exposure limit(s)

| Components        | Value     | Exposure time                | Exposure type          | List:   |
|-------------------|-----------|------------------------------|------------------------|---------|
| Aluminum          | 10 mg/m3  | Time Weighted Average (TWA): | Dust.                  | ACGIH   |
|                   | 5 mg/m3   | Time Weighted Average (TWA): | Welding fume. as Al    | ACGIH   |
| Aluminum          | 15 mg/m3  | PEL:                         | Total dust. as Al      | OSHA Z1 |
|                   | 5 mg/m3   | PEL:                         | Respirable dust. as Al | OSHA Z1 |
| Antimony trioxide | 0.5 mg/m3 | PEL:                         | as Sb                  | OSHA Z1 |
| Antimony trioxide | 0.5 mg/m3 | Time Weighted Average (TWA): | as Sb                  | ACGIH   |
| Calcium carbonate | 5 mg/m3   | PEL:                         | Respirable fraction.   | OSHA Z1 |
|                   | 15 mg/m3  | PEL:                         | Total dust.            | OSHA Z1 |
| Titanium dioxide  | 10 mg/m3  | Time Weighted Average (TWA): |                        | ACGIH   |
| Titanium dioxide  | 15 mg/m3  | PEL:                         | Total dust.            | OSHA Z1 |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- |            |              |                  |                   |
|------------|--------------|------------------|-------------------|
| Form       | : Solid      | Evaporation rate | : Not applicable. |
| Appearance | : Pellets    | Specific Gravity | : Not determined  |
| Color      | : GREY       | Bulk density     | : Not established |
| Odor       | : Very faint | Vapor pressure   | : Not applicable  |

**POLYONE CORPORATION**

**MATERIAL SAFETY DATA SHEET**

**BRUSH ALLUMINUM METALLIC**

Version Number 1.0

Revision Date 08/25/2003

Page 4 of 7

Print Date 11/12/2011

|                     |                  |               |                  |
|---------------------|------------------|---------------|------------------|
| Melting point/range | : Not determined | Vapor density | : Not applicable |
| Boiling Point:      | : Not applicable | pH            | : Not applicable |
| Water solubility    | : Insoluble      |               |                  |

**10. STABILITY AND REACTIVITY**

Stability : Stable.

Hazardous Polymerization : Will not occur.

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials : Incompatible with strong acids and oxidizing agents.

Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), other hazardous materials, and smoke are all possible.

**11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name     | Effect           | Target Organ                    |
|------------|-------------------|------------------|---------------------------------|
| 7429-90-5  | Aluminum          | Irritant         | Skin, Respiratory system.       |
|            |                   | Systemic effects | Eyes, Skin, Respiratory system. |
| 1309-64-4  | Antimony trioxide | Systemic effects | Eyes, Respiratory system.       |
|            |                   | sensitizer       | Skin.                           |
| 1317-65-3  | Calcium carbonate | Irritant         | Eyes, Skin.                     |
|            |                   | Systemic effects | Eyes, Skin, Respiratory system. |
| 13463-67-7 | Titanium dioxide  | Systemic effects | Respiratory system.             |

**LC50 / LD50**

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name     | Route     | Value          | Species |
|-----------|-------------------|-----------|----------------|---------|
| 1309-64-4 | Antimony trioxide | Oral LD50 | > 34,600 mg/kg | rat     |

**Carcinogenicity:**

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.   | Chemical Name     | OSHA | IARC | NTP |
|-----------|-------------------|------|------|-----|
| 1309-64-4 | Antimony trioxide | no   | 2B   | no  |

**IARC Carcinogen Classifications:**

1 - The component is carcinogenic to humans.

**POLYONE CORPORATION**

**MATERIAL SAFETY DATA SHEET**

**BRUSH ALLUMINUM METALLIC**

Version Number 1.0  
Revision Date 08/25/2003

Page 5 of 7  
Print Date 11/12/2011

2A - The component is probably carcinogenic to humans.  
2B - The component is possibly carcinogenic to humans.

**NTP Carcinogen Classifications:**

- 1 - The component is known to be a human carcinogen.
- 2 - The component is reasonably anticipated to be a human carcinogen.

**Additional Health Hazard Information:**

**Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).**

**12. ECOLOGICAL INFORMATION**

- Persistence and degradability : Not readily biodegradable.
- Environmental Toxicity : Chemicals are not readily available as they are bound within the matrix of the polymer.
- Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matrix of the polymer.
- Additional advice : No data available.

**13. DISPOSAL CONSIDERATIONS**

- Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
- Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

**14. TRANSPORT INFORMATION**

- U.S. DOT Classification : Refer to specific regulation.
- ICAO/IATA : Refer to specific regulation.
- IMO / IMDG : Refer to specific regulation.

**15. REGULATORY INFORMATION**

US Regulations:

**POLYONE CORPORATION****MATERIAL SAFETY DATA SHEET****BRUSH ALLUMINUM METALLIC**Version Number 1.0  
Revision Date 08/25/2003Page 6 of 7  
Print Date 11/12/2011

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Chemical Name     | CAS-No.   | % in Product | RQ for component | RQ for Mixture/Product |
|-------------------|-----------|--------------|------------------|------------------------|
| Antimony trioxide | 1309-64-4 | 4.4327       | 1,000 lbs        | 22,560 LB              |

California Proposition 65 : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

| Chemical Name           | CAS-No.   | Weight % |
|-------------------------|-----------|----------|
| ALUMINUM (FUME OR DUST) | 7429-90-5 | 1.85     |
| ANTIMONY COMPOUNDS      | 1309-64-4 | 4.43     |

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name     | CAS-No.   | Weight % | NPRI ID# |
|-------------------|-----------|----------|----------|
| Aluminum          | 7429-90-5 | 1.85     | 12       |
| Antimony trioxide | 1309-64-4 | 4.43     | 17       |
| Zinc oxide        | 1314-13-2 | 0.69     | 241      |

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

|           |
|-----------|
| CAS-No.   |
| 7429-90-5 |
| 1309-64-4 |

DSL : DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

**POLYONE CORPORATION****MATERIAL SAFETY DATA SHEET****BRUSH ALLUMINUM METALLIC**

Version Number 1.0  
Revision Date 08/25/2003

Page 7 of 7  
Print Date 11/12/2011

Australia AICS : Not determined.  
China IECS : Not determined.  
Europe EINECS : Not determined.  
Japan ENCS : Not determined.  
Korea KECI : Not determined.  
Philippines PICCS : Not determined.

**16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.